

DENTAL EXTRACTION CONSENT FORM

Patient Information			
First Name		Last Name	
Home Phone Number		Email Address	
Street Address	City	State	Zip Code

I understand that oral surgery and/or dental extractions include inherent risks such as, but not limited to the following:

- Numbness to the cheeks, tongue, lips, and/or any tissues of the mouth. This numbness may be temporary which may last from hours to a few months.
- Bleeding, bruising, and swelling. Bleeding may occur during and/or after surgery, as well as swelling after surgery. Swelling may happen but normally subsides after 48 hours. If excessive bleeding occurs, or swelling appears to be severe, please notify us as soon as possible.
- A dry socket is a condition after a tooth extraction where there is loss of blood clot that is supposed to fill the socket from which the tooth was extracted. As occurrence of this leaves the nerves exposed and thus, is very painful. This may develop 3-4 days post-surgery and you must notify us of this occurrence.
- There are some cases where a person's tip of the root of the tooth lies in close proximity to sinuses and the membrane may be perforated during extraction or surgical procedure or instances where root tips may need to be retrieved from the sinus. In such cases, sinus may be required to be surgically closed.
- Infections may occur due to the non-sterile oral environment after surgery. If an infection or swelling occurs, especially with fever, please notify us as soon as possible.
- In an extraction procedure, fractures may happen due to brittle bones of the patient. If this occurs a referral to a specialist may be required.

- Injury to adjacent teeth or fillings may occur during the procedure. This could occur at times no matter how carefully surgical and/or extraction procedures are performed.
- Bacteria is a normal existence in the mouth. Thus, susceptible to infections transmitted through blood vessels. In some instances, Bacterial Endocarditis could occur. This is a bacterial infection of the heart and any heart problems known or suspected should be notified to us as soon as possible.
- Reactions, either mild or severe, may possibly occur from anesthetics or other medications administered or prescribed. All prescription drugs must be taken according to instructions. Women using oral contraceptives must be aware that antibiotics can render these contraceptives ineffective.

I was fully oriented and informed of the purpose of the medical treatment and was able to ask questions and provided sufficient answers. I assume all possible risks, including any harm which may be associated with the procedure.

By signing this form, I hereby give my consent to the procedure.

Signature Date:

Signature: